

Винтовые насосы, типы размеров

| Размер насоса | | Дебит* | Напор. | Ротор | | Статор | | | | |
|---------------|-------------|---------|--------|--------------|-------------------|---------------|-----------------------|--------------------|--------------|----------------------------|
| имперический | метрический | м³/сут. | м | L ротора (м) | резьба (дюймы)/мм | L статора (м) | резьба (дюймы)/мм | диаметр (дюймы)/мм | L насоса (м) | резьба на муфте (дюймы)/мм |
| 25-B-0900 | 4-B-62 | 4 | 620 | 1.384 | 0.875 API /22мм | 1.092 | 2.875(73мм)-10NUE PIN | 2.875(73мм) | 1.521 | 2.875(73мм)-8 EUE |
| 25-B-1300 | 4-B-90 | | 900 | 1.956 | | 1.664 | | | 2.092 | |
| 25-B-1800 | 4-B-124 | | 1240 | 2.508 | | 2.216 | | | 2.645 | |
| 25-B-2300 | 4-B-158 | | 1580 | 3.264 | | 2.972 | | | 3.401 | |
| 25-B-2600 | 4-B-179 | | 1790 | 3.493 | | 3.20 | | | 3.629 | |
| 25-B-3600 | 4-B-248 | | 2400 | 4.826 | | 4.534 | | | 4.963 | |
| 44-B-0900 | 7-B-62 | 7 | 620 | 1.588 | 0.875 API /22мм | 1.295 | 2.875(73мм)-10NUE PIN | 2.875(73мм) | 1.724 | 2.875(73мм)-8 EUE |
| 44-B-1300 | 7-B-90 | | 900 | 2.438 | | 2.146 | | | 2.575 | |
| 44-B-1800 | 7-B-124 | | 1240 | 3.169 | | 2.877 | | | 3.305 | |
| 44-B-2300 | 7-B-158 | | 1580 | 3.886 | | 3.594 | | | 4.023 | |
| 44-B-2600 | 7-B-179 | | 1790 | 4.458 | | 4.166 | | | 4.594 | |
| 44-B-3600 | 7-B-248 | | 2400 | 5.893 | | 5.601 | | | 6.03 | |
| 65-B-0900 | 10-B-62 | 10 | 620 | 1.93 | 0.875 API /22мм | 1.638 | 2.875(73мм)-10NUE PIN | 2.875(73мм) | 2.067 | 2.875(73мм)-8 EUE |
| 65-B-1300 | 10-B-90 | | 900 | 2.845 | | 2.553 | | | 2.981 | |
| 65-B-1800 | 10-B-124 | | 1240 | 3.734 | | 3.442 | | | 3.87 | |
| 65-B-2300 | 10-B-158 | | 1580 | 4.854 | | 4.562 | | | 4.991 | |
| 65-B-2600 | 10-B-179 | | 1790 | 5.347 | | 5.055 | | | 5.483 | |
| 65-B-3600 | 10-B-248 | | 2400 | 7.176 | | 6.883 | | | 7.312 | |
| 95-B-0900 | 15-B-62 | 15 | 620 | 2.642 | 0.875 API /22мм | 2.35 | 2.875(73мм)-10NUE PIN | 2.875(73мм) | 2.778 | 2.875(73мм)-8 EUE |
| 95-B-1300 | 15-B-90 | | 900 | 3.943 | | 3.651 | | | 4.08 | |
| 95-B-1800 | 15-B-124 | | 1240 | 5.232 | | 4.94 | | | 5.369 | |
| 95-B-2300 | 15-B-158 | | 1580 | 6.769 | | 6.477 | | | 6.906 | |
| 95-B-2600 | 15-B-179 | | 1790 | 7.582 | | 7.29 | | | 7.719 | |
| 95-B-3600 | 15-B-248 | | 2400 | 10.16 | | 9.868 | | | 10.297 | |
| 250-B-0900 | 40-B-62 | 40 | 620 | 3.645 | 0.875 API /22мм | 3.353 | 2.875(73мм)-10NUE PIN | 2.875(73мм) | 3.782 | 2.875(73мм)-8 EUE |
| 250-B-1300 | 40-B-90 | | 900 | 5.321 | | 5.029 | | | 5.458 | |
| 250-B-1800 | 40-B-124 | | 1240 | 6.96 | | 6.668 | | | 7.096 | |
| 250-B-2300 | 40-B-158 | | 1580 | 8.75 | | 8.458 | | | 8.887 | |
| 250-B-2600 | 40-B-179 | | 1790 | 10.338 | | 10.033 | | | 10.474 | |
| 350-B-0900 | 56-B-62 | 56 | 620 | 5.988 | 0.875 API /22мм | 5.696 | 2.875(73мм)-10NUE PIN | 2.875(73мм) | 6.125 | 2.875(73мм)-8 EUE |
| 350-B-1300 | 56-B-90 | | 900 | 7.747 | | 7.455 | | | 7.884 | |
| 350-B-1800 | 56-B-124 | | 1240 | 9.976 | | 9.684 | | | 10.113 | |
| 350-B-2300 | 56-B-158 | | 1580 | 11.773 | | 11.481 | | | 11.91 | |
| 350-B-2600 | 56-B-179 | | 1790 | 13.538 | | 13.246 | | | 13.675 | |
| 110-D-0900 | 18-D-62 | 18 | 620 | 1.905 | 1.000 API /25мм | 1.524 | 3.500(89мм)-8EUE PIN | 3.750(89мм) | 2.115 | 3.500(89мм)-8 EUE |
| 110-D-1300 | 18-D-90 | | 900 | 2.438 | | 2.057 | | | 2.648 | |
| 110-D-1800 | 18-D-124 | | 1240 | 3.023 | | 2.642 | | | 3.232 | |
| 110-D-2300 | 18-D-158 | | 1580 | 3.683 | | 3.302 | | | 3.893 | |
| 110-D-2600 | 18-D-179 | | 1790 | 4.178 | | 3.797 | | | 4.388 | |
| 130-D-0900 | 21-D-62 | 21 | 620 | 2.21 | 1.000 API /25мм | 1.829 | 3.500(89мм)-8EUE PIN | 3.750(89мм) | 2.419 | 3.500(89мм)-8 EUE |
| 130-D-1300 | 21-D-90 | | 900 | 3.15 | | 2.769 | | | 3.359 | |
| 130-D-1800 | 21-D-124 | | 1240 | 4.064 | | 3.683 | | | 4.274 | |
| 130-D-2300 | 21-D-158 | | 1580 | 4.978 | | 4.597 | | | 5.188 | |
| 130-D-2600 | 21-D-179 | | 1790 | 5.766 | | 5.385 | | | 5.975 | |
| 130-D-3600 | 21-D-248 | | 2400 | 7.671 | | 7.290 | | | 7.880 | |
| 200-D-0900 | 32-D-62 | 32 | 620 | 2.629 | 1.000 API /25мм | 2.248 | 3.500(89мм)-8EUE PIN | 3.750(89мм) | 2.838 | 3.500(89мм)-8 EUE |
| 200-D-1300 | 32-D-90 | | 900 | 3.747 | | 3.366 | | | 3.956 | |
| 200-D-1800 | 32-D-124 | | 1240 | 4.902 | | 4.521 | | | 5.112 | |
| 200-D-2300 | 32-D-158 | | 1580 | 6.045 | | 5.664 | | | 6.255 | |
| 200-D-2600 | 32-D-179 | | 1790 | 6.985 | | 6.604 | | | 7.195 | |
| 200-D-3600 | 32-D-248 | | 2400 | 9.411 | | 9.030 | | | 9.620 | |
| 270-D-0900 | 43-D-62 | 43 | 620 | 3.277 | 1.000 API /25мм | 2.896 | 3.500(89мм)-8EUE PIN | 3.750(89мм) | 3.486 | 3.500(89мм)-8 EUE |
| 270-D-1300 | 43-D-90 | | 900 | 4.867 | | 4.486 | | | 5.077 | |
| 270-D-1800 | 43-D-124 | | 1240 | 6.452 | | 6.071 | | | 6.661 | |
| 270-D-2300 | 43-D-158 | | 1580 | 8.357 | | 7.976 | | | 8.566 | |
| 270-D-2600 | 43-D-179 | | 1790 | 9.322 | | 8.941 | | | 9.531 | |
| 270-D-3600 | 43-D-248 | | 2400 | 12.129 | | 11.748 | | | 12.338 | |

| Размер насоса | | Дебит | Напор. | Ротор | | Статор | | | | |
|---------------|-------------|----------------------|--------|--------------|----------------------------|---------------|-----------------------|--------------------|----------------|----------------------------|
| имперический | метрический | м ³ /сут. | м | Л ротора (м) | резьба (дюймы)/мм | Л статора (м) | резьба (дюймы)/мм | диаметр (дюймы)/мм | Л насоса (м) | резьба на муфте (дюймы)/мм |
| 350-D-0900 | 56-D-62 | 56 | 620 | 4.089 | 1.000 API/25мм | 3.708 | 3.500(89мм)-8EUE PIN | 3.750(89мм) | 4.299 | 3.500(89мм)-8 EUE |
| 350-D-1300 | 56-D-90 | | 900 | 5.982 | | 5.601 | | | 31.591 | |
| 350-D-1800 | 56-D-124 | | 1240 | 7.988 | | 7.607 | | | 10.547 | |
| 350-D-2300 | 56-D-158 | | 1580 | 10.338 | | 9.957 | | | 11.868 | |
| 350-D-2600 | 56-D-179 | | 1790 | 11.659 | | 11.278 | | | | |
| 450-D-0900 | 72-D-62 | 72 | 620 | 5.502 | 1.000 API/25мм | 5.121 | 3.500(89мм)-8EUE PIN | 3.750(89мм) | 5.712 | 3.500(89мм)-8 EUE |
| 450-D-1300 | 72-D-90 | | 900 | 7.607 | | 7.226 | | | 7.817 | |
| 450-D-1800 | 72-D-124 | | 1240 | 10.541 | | 10.16 | | | 10.751 | |
| 450-D-2300 | 72-D-158 | | 1580 | 13.119 | | 12.738 | | | 13.329 | |
| 450-D-2600 | 72-D-179 | | 1790 | 14.808 | | 14.427 | | | 15.018 | |
| 550-D-0900 | 87-D-62 | 87 | 620 | 6.452 | 1.000 API/25мм | 6.071 | 3.500(89мм)-8EUE PIN | 3.750(89мм) | 6.661 | 3.500(89мм)-8 EUE |
| 550-D-1300 | 87-D-90 | | 900 | 9.335 | | 8.954 | | | 9.544 | |
| 550-D-1800 | 87-D-124 | | 1240 | 12.51 | | 12.129 | | | 12.719 | |
| 550-D-2300 | 87-D-158 | | 1580 | 15.402 | | 15.021 | | | 15.612 | |
| 550-D-2600 | 87-D-179 | | 1790 | 17.485 | | 17.104 | | | 17.694 | |
| 525-F-0900 | 83-F-62 | 83 | 620 | 5.728 | 1.125 API/29мм | 5.347 | 3.500(89мм)-8EUE BOX | 4.500(114мм) | 5.753 | 3.500(114мм)-8 EUE |
| 525-F-1300 | 83-F-90 | | 900 | 8.319 | | 7.938 | | | 8.344 | |
| 525-F-1800 | 83-F-124 | | 1240 | 10.884 | | 10.503 | | | 10.909 | |
| 525-F-2300 | 83-F-158 | | 1580 | 13.462 | | 13.081 | | | 13.487 | |
| 725-F-900 | 115-F-62 | | 115 | 620 | | 7.925 | | | 1.125 API/29мм | |
| 725-F-1300 | 115-F-90 | 900 | | 11.481 | 11.1 | 11.506 | | | | |
| 725-F-1800 | 115-F-124 | 1240 | | 15.456 | 12.535 | 16.481 | | | | |
| 925-F-650 | 147-F-45 | 147 | 450 | 7.823 | 1.125 API/29мм | 7.442 | 3.500(89мм)-8EUE BOX | 4.500(114мм) | 7.849 | 3.500(114мм)-8 EUE |
| 925-F-900 | 147-F-62 | | 620 | 11.303 | | 10.922 | | | 11.328 | |
| 925-F-1300 | 147-F-90 | | 900 | 15.24 | | 14.859 | | | 15.265 | |
| 500-G-0900 | 80-G-62 | 79 | 620 | 3.073 | 1.125 API/29мм | 2.769 | 4.500(114мм)-8EUE BOX | 5.125(130мм) | 3.219 | 4.500(130мм)-8 EUE |
| 500-G-1300 | 80-G-90 | | 900 | 4.451 | | 4.147 | | | 4.597 | |
| 500-G-1800 | 80-G-124 | | 1240 | 5.982 | | 5.677 | | | 6.128 | |
| 500-G-2300 | 80-G-158 | | 1580 | 7.811 | | 7.506 | | | 7.957 | |
| 500-G-2600 | 80-G-179 | | 1790 | 8.573 | | 8.268 | | | 8.719 | |
| 700-G-0900 | 111-G-62 | 111 | 620 | 4.013 | 1.125 API/29мм | 3.708 | 4.500(114мм)-8EUE BOX | 5.125(130мм) | 4.159 | 4.500(130мм)-8 EUE |
| 700-G-1300 | 111-G-90 | | 900 | 6.026 | | 5.721 | | | 6.172 | |
| 700-G-1800 | 111-G-124 | | 1240 | 7.899 | | 7.595 | | | 8.045 | |
| 700-G-2300 | 111-G-158 | | 1580 | 10.427 | | 10.122 | | | 10.573 | |
| 700-G-2600 | 111-G-179 | | 1790 | 11.595 | | 11.29 | | | 11.741 | |
| 900-G-0900 | 143-G-62 | 143 | 620 | 5.356 | 1.125 API & 2.375 PAC 60мм | 5.052 | 4.500(114мм)-8EUE BOX | 5.125(130мм) | 5.502 | 4.500(130мм)-8 EUE |
| 900-G-1300 | 143-G-90 | | 900 | 7.569 | | 7.264 | | | 7.715 | |
| 900-G-1800 | 143-G-124 | | 1240 | 10.551 | | 10.246 | | | 10.697 | |
| 900-G-2300 | 143-G-158 | | 1580 | 13.132 | | 12.827 | | | 13.278 | |
| 900-G-2600 | 143-G-179 | | 1790 | 14.821 | | 14.516 | | | 14.967 | |
| 1100-G-0900 | 175-G-62 | 175 | 620 | 3.937 | 1.125 API & 2.375 PAC 60мм | 3.632 | 4.500(114мм)-8EUE BOX | 5.125(130мм) | 4.083 | 4.500(130мм)-8 EUE |
| 1100-G-1300 | 175-G-90 | | 900 | 5.817 | | 5.512 | | | 5.963 | |
| 1100-G-1800 | 175-G-124 | | 1240 | 7.798 | | 7.493 | | | 7.944 | |
| 1100-G-2300 | 175-G-158 | | 1580 | 10.173 | | 9.868 | | | 10.319 | |
| 1100-G-2600 | 175-G-179 | | 1790 | 11.1 | | 10.795 | | | 11.246 | |
| 1400-G-0650 | 223-G-45 | 223 | 450 | 6.007 | 2.375 PAC/60мм | 5.702 | 4.500(114мм)-8EUE BOX | 5.125(130мм) | 6.153 | 4.500(130мм)-8 EUE |
| 1400-G-0900 | 223-G-62 | | 620 | 8.433 | | 8.128 | | | 8.579 | |
| 1400-G-1300 | 223-G-90 | | 900 | 11.697 | | 11.392 | | | 11.843 | |

*Производительность насоса при 100 об/мин.



** NUE - гладкая
PIN - наружная
EUE - высаженная
BOX - внутренняя